

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
1	Channel	Driver	Zone	Width	Depth	Segments	Strips	Wire	Amps	Size	18	16	18	16	Mod Width	
2	25	2.01	0.1	0.5	20	2	1	40	2.2	18	1	0	40	0		Denver
3	26	2.02	1.1	1.5	60	3	1	60	1.9	16	0	1	0	60		
4	27	2.03	1.2	1.5	60	3	1	60	1.9	16	0	1	0	60		
5	28	2.04	1.3	4	30	5	1	60	2.4	16	0	1	0	60		
6	29	2.05	1.4	4	30	5	1	60	2.4	16	0	1	0	60		
7	30	2.06	2.1	4	30	5	1	55	2.4	16	0	1	0	55		
8	31	2.07	2.2	4	30	5	1	52	2.4	16	0	1	0	52		
9	32	2.08	2.3	4	30	5	1	49	2.4	16	0	1	0	49		
10	33	2.09	2.4	3	30	5	1	46	1.8	16	0	1	0	46		
11	34	2.1	3	0.5	18	3	1	37	2	16	0	1	0	37	Deer Creek	
12	35	2.11	4.1	3	30	5	1	33	1.9	18	1	0	33	0	Quarry	
13	36	2.12	4.2	3	30	5	1	28	1.9	18	1	0	28	0		
14	37	2.13	4.3	2	30	5	1	26	1.5	18	1	0	26	0	extra	
15	38	2.14	5.1	3	36	6	1	10	2.2	18	1	0	10	0	Castle Rock	
16	39	2.15	5.2	3	36	6	1	10	2.2	18	1	0	10	0		9
17	40	2.16	5.3	3	36	6	1	10	2.2	18	1	0	10	0		
18	41	2.17	5.4	3	36	6	1	10	2.2	18	1	0	10	0		
19	42	2.18	5.5	3	36	6	1	10	2.2	18	1	0	10	0		9
20	43	2.19	5.6	3	36	6	1	10	2.2	18	1	0	10	0		
21	44	2.2	6.1	3	36	6	1	10	2.2	16	1	0	10	0		
22	45	2.21	6.2	3	36	6	1	10	2.2	18	1	0	10	0		9
23	46	2.22	6.3	3	36	6	1	10	2.2	18	1	0	10	0		
24	47	2.23	7	3	18	3	1	20	1	18	1	0	20	0	PL	
25	48	2.24	8.1	3	36	6	1	20	2.2	18	1	0	20	0	Colorado Springs	
26	49	3.01	8.2	3	36	6	1	23	2.2	18	1	0	23	0		9
27	50	3.02	8.3	3	36	6	1	26	2.2	18	1	0	26	0		
28	51	3.03	8.4	3	36	6	1	29	2.2	18	1	0	29	0		
29	52	3.04	8.5	3	36	6	1	32	2.2	18	1	0	32	0		9
30	53	3.05	9.1	3	36	6	1	20	2.2	18	1	0	20	0		
31	54	3.06	9.2	3	36	6	1	23	2.2	18	1	0	23	0		
32	55	3.07	9.3	3	36	6	1	26	2.2	18	1	0	26	0		8
33	56	3.08	9.4	2	36	6	1	29	1.4	18	1	0	29	0		
34													Wire Needed			
35	Channel	Driver	Zone	Width	Depth	Segments	Strips	Wire	Amps	Size	18	16	18	16	Mod Width	
36	24	1.24	10.1	2.5	30	5	1	30	1.6	18	1	0	30	0	End Panel	
37	23	1.23	10.2	2.5	30	5	1	30	1.6	18	1	0	30	0		
38	22	1.22	11.1	3	36	6	1	35	2.2	16	0	1	0	35	3	Pueblo
39	21	1.21	11.2	3	36	6	1	38	2.2	16	0	1	0	38	3	
40	20	1.2	11.3	3	36	6	1	41	2.2	16	0	1	0	41		
41	19	1.19	11.4	3	36	6	1	44	2.2	16	0	1	0	44	9	
42	18	1.18	11.5	3	36	6	1	47	2.2	16	0	1	0	47		
43	17	1.17	12.1	3	36	6	1	46	2.2	16	0	1	0	46		
44	16	1.16	12.2	3	36	6	1	49	2.2	16	0	1	0	49	9	
45	15	1.15	12.3	3	36	6	1	52	2.2	16	0	1	0	52		
46	14	1.14	12.4	3	36	6	1	55	2.2	16	0	1	0	55		
47	13	1.13	12.5	3	36	6	1	57	2.2	16	0	1	0	57	9	
48	12	1.12	12.6	3	36	6	1	60	2.2	16	0	1	0	60		
49	11	1.11	14.1	16		1	1	60	2	16	0	1	0	60	1.2016	Lower He
50	10	1.1	13.1	1	96	2	1	62	2	16	0	1	0	62	8	
51	9	1.09	13.2	1	96	2	1	63	2	16	0	1	0	63	8	
52	8	1.08	13.3	1	96	2	1	64	2	16	0	1	0	64	8	
53	7	1.07	13.4	1	96	2	1	65	2	16	0	1	0	65	8	
54	6	1.06	13.5	1	96	2	1	66	2	16	0	1	0	66	8	

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
55	5	1.05	13.6	1	96	2	1	67	2	16	0	1	0	67	8	Ilix
56	4	1.04	13.7	1	96	2	1	68	2	16	0	1	0	68	8	
57	3	1.03	15	16		1	1	53	2	16	0	1	0	53	1.2016	
58	2	1.02	16.1	2	60	3	1	53	1.9	16	0	1	0	53	5	Cement Plant
59	1	1.01	16.2	2	60	3	1	53	1.9	16	0	1	0	53	5	
60							55	2162	113.9				485	1677		
61																
62																
63																
64																
65																
66																
67	Upper												Wire Needed			
68	Channel	Driver	Zone	Width	Depth	Segments	Strips	Wire	Amps	Size	18	16	18	16		
69	156	7.12		36	30	11	1.51	8	3.01	18	1	0	8	0		Narrow Gauge
70	155	7.11		36	30	11	1.73	8	3.455	18	1	0	8	0		
71	154	7.1		24	45	14	1.51	10	3.01	18	1	0	10	0		
72	153	7.09		24	42	18	1.49	10	2.99	18	1	0	10	0		
73	152	7.08		24	48	17	1.56	12	3.111	18	1	0	12	0		
74	151	7.07		24	48	17	1.56	12	3.111	18	1	0	12	0		
75	150	7.06		24	48	15	1.78	14	3.556	18	1	0	14	0		
76	149	7.05		24	48	15	1.78	14	3.556	18	1	0	14	0		
77	148	7.04		24	48	18	1.54	16	3.071	18	1	0	16	0		
78	147	7.03		24	48	21	1.24	16	2.485	18	1	0	16	0		
79	146	7.02		24	48	18	1.4	18	2.808	18	1	0	18	0		
80	145	7.01		24	48	14	1.4	18	2.808	18	1	0	18	0		
81	144	6.24	5.15					70	2	16		1	0	70		C & D Yards
82	143	6.23	5.14					65	2	16		1	0	65		
83	142	6.22	5.13					65	2	16		1	0	65		
84	141	6.21	5.12					65	2	16		1	0	65		
85	140	6.2	5.11					40	2	18	1		40	0		
86	139	6.19	5.10					40	2	18	1		40	0		
87	138	6.18	5.9					40	2	18	1		40	0		
88	137	6.17	5.8					40	2	18	1		40	0		
89	136	6.16	5.7					40	2	18	1		40	0		
90	134	6.15	5.6	24	48	6	1.25	32	1.7	16	0	1	0	32	SB	San Bernadino
91	132	6.14	5.5	24	48	6	1.25	30	1.7	16	0	1	0	30	SB	
92	130	6.13	5.4	24	48	6	1.25	28	1.7	16	0	1	0	28	SB	
93	128	6.12	5.3	24	48	6	1.25	26	1.7	16	0	1	0	26	SB	
94	126	6.11	5.2	24	48	6	1.25	24	1.7	16	0	1	0	24	SB	
95	124	6.1	5.1	24	48	6	1.25	22	1.7	16	0	0	0	0	SB	
96	122	6.09	4.6	24	48	6	1.25	22	1.7	16	0	1	0	22	SB	
97	120	6.08	4.5	24	48	6	1.25	24	1.7	16	0	1	0	24	SB	
98	118	6.07	4.4	24	48	6	1.25	26	1.7	16	0	1	0	26	SB	
99	116	6.06	4.3	24	48	6	1.25	28	1.7	16	0	1	0	28	SB	
100	114	6.05	4.2	24	48	6	1.25	30	1.9	16	0	1	0	30	SB	
101	112	6.04	4.1	24	48	6	1.25	32	1.9	16	0	1	0	32	SB	
102	135	6.03	6.6	24	48	6	1.25	32	1.9	16	0	1	0	32	Cajon	Cajon
103	133	6.02	6.5	24	48	6	1.25	30	1.9	16	0	1	0	30	Cajon	
104	131	6.01	6.4	24	48	6	1.25	28	1.9	16	0	1	0	28	Cajon	
105	129	5.24	6.3	24	48	6	1.25	26	1.9	16	0	1	0	26	Cajon	
106	127	5.23	6.2	24	48	6	1.25	24	1.9	16	0	1	0	24	Cajon	
107	125	5.22	6.1	24	48	6	1.25	22	1.9	16	0	1	0	22	Cajon	
108	123	5.21	7.6	24	48	6	1.25	22	1.9	16	0	1	0	22	Cajon	

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
109	121	5.2	7.5	24	48	6	1.25	24	1.9	16	0	1	0	24	Cajon	
110	119	5.19	7.4	24	48	6	1.25	26	1.9	16	0	1	0	26	Cajon	
111	117	5.18	7.3	24	48	6	1.25	28	1.9	16	0	1	0	28	Cajon	
112	115	5.17	7.2	24	48	6	1.25	30	1.9	16	0	1	0	30	Cajon	
113	113	5.16	7.1	24	48	6	1.25	32	1.9	16	0	1	0	32	Cajon	
114	Upper												Wire Needed			
115	Channel	Driver	Zone	Width	Depth	Segments	Strips	Wire	Amps	Size	18	16	18	16		
116	111	5.15	3.14	24	48	6	1.25	38	1.9	16	0	1	0	38	Denver	Roundhouse
117	110	5.14	3.13	24	48	6	1.25	36	1.9	16	0	1	0	36	Isle	
118	109	5.13	3.12	24	48	6	1.25	34	1.9	16	0	1	0	34	Denver	
119	108	5.12	3.11	24	48	6	1.25	32	1.9	16	0	1	0	32	Isle	
120	107	5.11	3.1	24	48	6	1.25	30	1.9	16	0	1	0	30	Denver	
121	106	5.1	3.09	24	48	6	1.25	28	1.9	16	0	1	0	28	Isle	
122	105	5.09	3.08	24	48	6	1.25	26	1.9	18	1	0	26	0	Denver	
123	104	5.08	3.07	24	48	6	1.25	24	1.9	18	1	0	24	0	Isle	
124	103	5.07	3.06	24	48	6	1.25	22	1.9	18	1	0	22	0	Denver	
125	102	5.06	3.05	24	48	6	1.25	20	1.9	18	1	0	20	0	Isle	
126	101	5.05	3.04	3	60	10	1.25	18	1.9	16	0	1	0	18	Denver	
127	100	5.04	3.03	3	60	10	1.25	21	1.9	16	0	1	0	21	Isle	
128	99	5.03	3.02	36	36	6	1.27	20	2.5	18	1	0	20	0	Denver	
129	98	5.02	3.01	36	36	7	1.27	23	2.5	18	1	0	23	0	Isle	
130	97	5.01	8.13	36	36	7	1.27	26	2.5	16	0	1	0	26	Rear	Sullivan's Curve
131	96	4.24	8.12	36	36	7	1.27	29	2.5	16	0	1	0	29	Rear	
132	95	4.23	8.11	36	36	7	1.27	32	2.5	16	0	1	0	32	Front	
133	94	4.22	8.1	36	36	7	1.27	20	2.5	16	0	1	0	20	Front	
134	93	4.21	8.09	36	36	7	1.27	23	2.5	16	0	1	0	23	Rear	
135	92	4.2	8.08	36	36	7	1.27	26	2.5	16	0	1	0	26	Rear	
136	91	4.19	8.07	24	48	5	1.2	35	2.4	16	0	1	0	35	Rear	
137	90	4.18	8.06	24	48	5	1.2	36	2.4	16	0	1	0	36	Rear	
138	89	4.17	8.05	24	48	5	1.2	37	2.4	16	0	1	0	37	Front	
139	88	4.16	8.04	24	48	5	1.2	38	2.4	16	0	1	0	38	Front	
140	87	4.15	8.03	24	48	5	1.2	39	2.4	16	0	1	0	39	Front	
141	86	4.14	8.02	24	48	5	1.2	40	2.4	16	0	1	0	40	Front	
142	85	4.13	8.01	24	48	5	1.2	41	2.4	16	0	1	0	41	Back	
143	84	4.12	9.7	24	48	5	1.2	42	2.4	16	0	1	0	42	Summit	Summit
144	83	4.11	9.6	24	48	5	1.2	43	2.4	16	0	1	0	43	Summit	
145	82	4.1	9.5	28	34	7	1.2	45	2	16	0	1	0	45	Summit	
146	81	4.09	9.4	30	34	9	1.3	48	2.5	16	0	1	0	48	Summit	
147	80	4.08	9.3	30	34	9	1.3	51	2.5	16	0	1	0	51	Summit	
148	79	4.07	9.2	30	34	9	1.3	54	2.5	16	0	1	0	54	Summit	
149	78	4.06	9.1	30	34	9	1.3	57	2.5	16	0	1	0	57	Summit	
150	77	4.05	10.1	30	34	9	1.3	48	2.5	16	0	1	0	48	Frost	Frost Flyover
151	76	4.04	10.2	30	34	9	1.3	45	2.5	16	0	1	0	45	Frost	
152	75	4.03	10.3	30	34	9	1.3	42	2.5	16	0	1	0	42	Frost	
153	74	4.02	10.4	30	34	9	1.3	39	2.5	16	0	1	0	39	Frost	
154	73	4.01	10.5	24	70	9	1.3	36	2.5	16	0	1	0	36	Frost	
155	72	3.24	11.01	24	47.5	12	1.3	38	2.6	16	0	1	0	38	Vic	Victo
156	71	3.23	11.02	24	47.5	12	1.3	36	2.6	16	0	1	0	36	Vic	
157	70	3.22	11.03	24	47.5	12	1.3	36	2.6	16	0	1	0	36	Vic	
158	69	3.21	11.04	24	47.5	12	1.3	38	2.6	16	0	1	0	38	Vic	
159	68	3.2	11.05	24	47.5	12	1.3	40	2.6	16	0	1	0	40	Vic	
160	67	3.19	11.06	24	47.5	12	1.3	42	2.6	16	0	1	0	42	Vic	
161	66	3.18	11.07	24	47.5	12	1.3	44	2.6	16	0	1	0	44	Vic	
162	65	3.17	11.08	24	47.5	12	1.3	46	2.6	16	0	1	0	46	Vic	

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	
163	64	3.16	11.09	24	47.5	12	1.3	47	2.6	16	0	1	0	47	Quarry	rville	
164	63	3.15	11.1	24	47.5	12	1.3	45	2.6	16	0	1	0	45	Quarry		
165	62	3.14	11.11	24	47.5	12	1.3	45	2.6	16	0	1	0	45	Quarry		
166	61	3.13	11.12	24	47.5	12	1.3	47	2.6	16	0	1	0	47	Quarry		
167	60	3.12	11.13	24	47.5	12	1.3	49	2.6	16	0	1	0	49	Quarry		
168	59	3.11	11.14	24	47.5	12	1.3	51	2.6	16	0	1	0	51	Quarry		
169	58	3.1	11.15	24	47.5	12	1.3	53	2.6	16	0	1	0	53	Quarry		
170	57	3.09	11.16	24	47.5	12	1.3	55	2.6	16	0	1	0	55	Quarry		
171																	
172																	
173																	
174																	
175																	
176							99.7	2864	182.1				295	2547			
177																	
178			Zone	Width	Depth	Segments	Strips	Wire	Amps	Size	18	16	18	16			
179							155	5026	296				780	4224			